



राष्ट्रीय प्रौद्योगिकी संस्थान मेघालय
NATIONAL INSTITUTE OF TECHNOLOGY MEGHALAYA
Bijni Complex, Laitumkhrah, Shillong-793003

Phone: 0364-2501215

Fax: 0364-2501113

Web: <http://nitm.ac.in>

Ref:

Date:

NOTICE INVITING QUOTATION (NIQ) FOR SUPPLY AND INSTALLATION OF GYM EQUIPMENTS WITH RELATED ACCESSORIES AT NIT MEGHALAYA PERMANENT CAMPUS AT SOHRA

NIT Meghalaya invites tenders in a two-bid system through GeM Portal <https://gem.gov.in/> from eligible Bidders for supply and installation of GYM Equipments at NIT Meghalaya permanent campus at Sohra as per details at ANNEXURE-III. The first part is the **Technical Bid** which consists of technical requirements and general terms & conditions and the second part is the **Financial Bid**.

Prescribed Tender document, detailed fees and specifications, bid instructions and Terms & Conditions can be downloaded from the GeM Portal <https://gem.gov.in/>. The bidding process (submission and finalization) will be done in online mode at GeM Portal <https://gem.gov.in/>. The bidders may submit their bid only through uploading in the GeM Portal <https://gem.gov.in/>

BID INSTRUCTIONS:

1. After evaluation of technical bids, financial bids of the successful bidders will be opened on a later date which will be duly notified.
2. **Submission of Compliance Certificate:** Duly filled and signed Compliance Certificates (as per formats at Annexure-I A & B) are must with the technical bid.
3. **Bid not transferable:** The bid documents are not transferable and the seal and signature of the authorized official of the firms must appear on all the papers and envelopes submitted.
4. The quantity mentioned for each item in the Annexure-III may increase/decrease depending on requirements.
5. **GST Registration Certificate should be enclosed along with the tender documents.**
6. **Relevant catalogue of the items must be enclosed.**
7. **Interested vendors may interact with Dr. Atanu Singha Roy, President SAC, NIT Meghalaya, for any queries (Email: asroy86@nitm.ac.in, 9402102387).**
8. For e-waybill the successful vendor has to apply online via <https://ewaybill.nic.in/ewb.html>.

Bidder's Eligibility Criteria

1. The bidder should be a Private / Public Limited company registered under the Companies Act, 1956 or a registered firm.
2. **It is essential for the bidder to have a registered office in Shillong, Meghalaya, for after sales maintenance and services.**
3. It is essential that the bidder should be able to provide support for next 03 years as per requirement of NIT Meghalaya. **(The bidder must submit an affidavit confirming that the bidder will provide support within 5 working days during the warranty period)**
4. **The bidder must submit an affidavit confirming that the bidder has never been blacklisted in any Government Institutes/Organization or PSU.**

SIGNATURE OF BIDDER

5. The Bidder must possess a valid GST Registration Certificate, PAN Number. (Copy of the certificates to be submitted).
6. The Bidder shall not be under a Declaration of Ineligibility for corrupt or Fraudulent Practices with any Government departments/ agencies/ ministries or PSU's and should not be blacklisted as on submission of the NITM. A declaration by authorized signatory of the Bidder must be enclosed.
7. The Bidder should be ISO 9001 Certified.
8. The bidder should have executed the similar order of the quoted item in any reputed Govt. Institute/ Organization/ PSU in the northeast region of India. Supporting documents must be submitted.
9. Bidder Minimum Average Annual Turnover of the bidder (For 3 Years): 45 lakh. Supporting documents should be attached.
10. OEM Average Turnover (Last 3 Years): 300 lakh. Supporting documents should be attached.
11. MII Purchase Preference: Yes
12. Make In India: Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively.

OEM CREDENTIALS:

1. OEM should have been in business for the past 5 years in India.
2. OEM should undertake of not getting blacklisted at any time in India. This should be on legal stamp paper and notarized.
3. OEM should undertake that no refurbished components will be used by OEM. This should be on legal stamp paper and notarized.
4. OEM should have ISO 9001:2015, ISO 14001:2015 Certification or similar certification as per the item's standard.

NIQ TERMS & CONDITIONS:

1. **Rates:** Rates quoted in the Price Bid should be on DOOR DELIVERY NIT Meghalaya (Sohra) basis, as per details below:

Group:	Item Sl. No.	Item name	
Sl. No.	Particulars		Rate
I	Basic Price for Gym Equipment and others [as per BOQ]		
	Discount if any		
	Total (INR)		
	GST (pl. break up CGST/SGST/IGST)		
	All total for the items (INR)		
II	Transportation charge up to NIT Meghalaya (Cherrapunjee, Sohra) premises (if applicable)		
III	Transit Insurance covering all risk up to 10 days after delivery (if applicable)		
	Grand total on door delivery at NIT Meghalaya (Cherrapunji, Sohra) [INR]		

*Note: Vague terms like “packing, forwarding, transportation etc. extra” without mentioning the specific amount will not be accepted. Such offers shall be treated as incomplete and rejected. **Bidders shall indicate their rates in clear/visible figures as well as in words and shall not alter/overwrite/make cutting in the quotation. In case of a mismatch, the rates written in words will prevail. Usage of “White ink” to erase and then rewrite the rates will not be accepted.** Bidders are advised to strike out wrong entries and rewrite clearly beside them. In such cases, the bidder shall have to sign and place their official seal for every corrected entry.*

2. Basic price of the items and the taxes must be quoted separately by the vendors. Tax - inclusive price or as applicable is not acceptable. The basic price and GST must be clearly stated.

SIGNATURE OF BIDDER

3. Quotations have to be submitted in Indian Rupees only. If goods are to be imported, the quotations shall include all charges for customs clearance, clearing agent fees, landing port handling charges, insurance etc. and onward transportation of the goods from the port/airport of landing for door delivery upto NIT Meghalaya, Cherrapunjee campus.

NIT Meghalaya has a valid registration with the Department of Scientific and Industrial Research (DSIR), Ministry of Science & Technology, Government of India for availing Customs/Central Excise Duty exemption. NIT Meghalaya will provide all necessary certificates, authorizations and documents required for clearing the consignment and for onward transportation upto Cherrapunjee campus.

4. All documents submitted should be self-attested with the seal of the bidder.
5. Bidder must unconditionally accept all terms and conditions stipulated in the tender document and all pages of the bid including all enclosures should be numbered and must be duly filled in, signed and stamped by the bidder or his authorized representative. Offers received without signature and seal on all pages are liable to be rejected.
6. **Validity of Quotation:** *Quoted rates must be valid for 90 days from the date of quotation.*
7. **Warranty:** **The quoted equipment and components must be warranted for a period of 01 (one) year from the date of successful installation and training [Sl. No. 1-12]. The warranty for the other items are mentioned in the detailed specifications part.**
8. **Literature must:** All the quotations must be supported by the printed technical data sheet/ literature and the specifications mentioned in the quotation must be reflected/ supported by such printed technical data sheet/ literature. The model no. and specifications quoted should invariably be highlighted in the data sheets/ literature for easy reference.
9. **Details of supply** of similar items to Institutes of National Importance (preferably those located in the Northeastern region) must be provided.
10. **Presentation:** Technically qualified bidders may be called upon to give full presentation of the quoted equipment at NIT Meghalaya campus before opening of Price bid as a support of their Technical Quotations and for any clarifications.
11. Loading/unloading and transportation of the equipment and accessories is the responsibility of the vendor.
12. **Equipment breakdown:** Any Equipment breakdown must be attended to within 05 days during the warranty period of the equipment free of cost.
13. **Training:** If required, free training is to be provided to NIT Meghalaya personnel on the operation, installation, training, maintenance, and troubleshooting of the supplied items.
14. **After Sales Service:** Vendor should clearly state the available nearest after sales service facilities in the Shillong region, without which the offer will be rejected.
15. **Dealership Certificate:** The bidder/tenderer should be either a manufacturer or authorized agent of the foreign/Indian manufacturer. Dealers or Agents quoting on behalf of the Manufacturer must enclose a valid dealership certificate.
16. **Earnest Money:** Refundable Earnest Money Deposit (EMD) of ₹ 75,000/- (**Rupees Seventy five thousand**) **only** through demand draft drawn in favor of National Institute of Technology Meghalaya, payable at Shillong, will have to accompany the technical Bid. The EMD of unsuccessful bidders shall be returned without any interest after award of contract. EMD of the successful bidder will be released without interest on submission of the Performance Bank Guarantee or delivery of the ordered items, as applicable.

In case of firms registered under NSIC/ MSME, EMD exemption will be given to the permissible extent, as indicated in their Certificate. All vendors claiming exemption must submit copies of their valid NSIC/ MSME registration Certificate duly attested with the seal of the organization (along with the Technical Bid in case of two bid systems). Offers received without Earnest Money or valid Certificate shall be summarily rejected.

17. **Performance Bank Guarantee (PBG):** The successful bidder shall furnish an unconditional PBG (as

per format at Annexure II) for 3 % of the Purchase Order value from a Nationalized/Scheduled Bank of India, before release of the payment. Else 3 % of the billed amount will be deducted as security deposit. Where the PBG is obtained by a foreign bank, it shall be endorsed by a Nationalized/Scheduled Indian bank and shall be governed by Indian Laws and be subject to the jurisdiction of courts at Shillong. The PBG shall guarantee that,

- a) The Vendor guarantees satisfactory operation of the Equipment & components against poor workmanship, bad quality of materials used, faulty designs and poor performance.
- b) The Vendor shall, at his own cost, rectify the defects/replace the items supplied, for defects identified during the period of guarantee/warranty.

The PBG shall remain valid for period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligations.

18. Delivery:

a. Time Limit: Maximum within 30 (thirty) days from the date of issue of purchase order.

b. Safe Delivery: All aspects of safe delivery shall be the exclusive responsibility of the vendor. At the destination site, the package will be opened only in the presence of NIT user/representative and vendor's representative. The intact condition of the package and the seal/indicators for not being tampered with, shall form the basis for certifying the receipt in good condition.

c. Insurance: The supplier is to establish 'All Risk Transit Insurance' coverage till door delivery at NIT Meghalaya, Cherrapunjee Campus.

d. Part Delivery: As far as possible no part delivery shall be entertained. However, in extreme cases, acceptance of part delivery shall be a prerogative of the Institute.

e. Penalty for delay in delivery: The date of delivery should be strictly adhered to otherwise the Director, NIT Meghalaya reserves the right not to accept delivery in part or full. The Director, NIT Meghalaya also reserves the right to impose penalty, as deemed fit, for delay in delivery of the equipment including imposition of Liquidated Damages (LD). The decision of the Director shall be final and binding to all.

19. **Genuine Pricing:** Vendor is to ensure that quoted price for the particular item is not more than the price quoted to any other customer in India, particularly to IITs/NITs and other Government Organizations. Copy of the latest price list for the quoted item, applicable in India, must be enclosed with the offer.
20. **Conditional tenders not acceptable:** All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Conditions mentioned in the tender bids submitted by vendors will not be binding on NIT Meghalaya.
21. **Payment:** 100% payment within 30 (thirty) days from date of delivery, installation, training and acceptance.
22. **Enquiry during the course of evaluation not allowed:** After opening the Technical Bid, no enquiry from the bidder(s) shall be entertained during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative may make enquiries/seek clarification from the bidders. In such a case, the bidder must extend full cooperation. The bidders may also be asked to arrange demonstration of the offered items, in a short period of notice.
23. At any time prior to the date of submission of bid, NIT Meghalaya may, for any reason, either of its own or in response to a clarification from a prospective bidder, modify the bidding documents by an amendment / corrigendum. **Any such amendment / corrigendum will be duly notified through the GeM portal only.** Prospective bidders are advised to check the GeM portal every now and then for any amendment / corrigendum. In order to provide reasonable time to take the amendment into account in preparing the bid, NIT Meghalaya may extend the date and time for submission of bids.
24. The acceptance of the quotation will rest solely with the Director, NIT Meghalaya, who in the interest of

SIGNATURE OF BIDDER

the Institute is not bound to accept the lowest quotation and reserves the right to himself to reject or partially accept any or all the quotations received without assigning any reasons.

25. Force Majeure:

If the performance of the obligation of either party is rendered commercially impossible by any of the events hereafter mentioned that party shall be under no obligation to perform the agreement under order after giving notice of 15 days from the date of such an event in writing to the other party, and the events referred to are as follows:

- a. Any law, statute or ordinance, order action or regulations of the Government of India,
- b. Any kind of natural disaster, and
- c. Strikes, acts of the Public enemy, war, insurrections, riots, lockouts, sabotage.

26. Termination for default: Default is said to have occurred

- a. If the equipment or any of its components is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
- b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by NIT Meghalaya.
- c. If the supplier fails to perform any other obligation(s) under the contract.

Under the above circumstances NIT Meghalaya may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, NIT Meghalaya may at its discretion also take the following actions: NIT Meghalaya may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate NIT Meghalaya for any extra expenditure involved towards goods and services obtained.

27. Applicable Law:

- a. The contract shall be governed by the laws and procedures established by Govt. of India and subject to exclusive jurisdiction of Competent Court and Forum in Shillong / India only.
- b. Any dispute arising out of this purchase shall be referred to the Director, NIT Meghalaya, and if either of the parties hereto is dissatisfied with the decision, the dispute shall be referred to the decision of an Arbitrator, who should be acceptable to both the parties, to be appointed by the Director of the Institute. The decision of such Arbitrator shall be final and binding on both the parties.

Sd/-
Registrar

Encl.: ANNEXURE-I, ANNEXURE-II, ANNEXURE-III.

Annexure –I

A. COMPLIANCE CERTIFICATE FOR NIQ TERMS

(To be enclosed in the Technical bid)

Sl. No.	NIQ Terms and Conditions	Yes/No
01	<u>Bidder's Eligibility Criteria</u> complied? <ul style="list-style-type: none">The bidder should be a Private / Public Limited company registered under the Companies Act, 1956 or a registered firm.	
	<ul style="list-style-type: none">It is essential that the bidder should be able to provide support for next 01 year (or as per the warranty period of different items) as per requirement of NIT Meghalaya. The bidder must submit an affidavit confirming that the bidder will provide support within 05 working days during the warranty period.	
	<ul style="list-style-type: none">The bidder must submit an affidavit confirming that the bidder has never been blacklisted in any Government Institutes/Organization or PSU.	
	<ul style="list-style-type: none">The Bidder must possess a valid GST Registration Certificate, PAN Number. (Copy of the certificates to be submitted).	
	<ul style="list-style-type: none">The Bidder shall not be under a Declaration of Ineligibility for corrupt or Fraudulent Practices with any Government departments/ agencies/ ministries or PSU's and should not be blacklisted as on submission of the NITM. A declaration by authorized signatory of the Bidder must be enclosed	
	<ul style="list-style-type: none">The Bidder should be ISO 9001 Certified	
	<ul style="list-style-type: none">The bidder should have executed the similar order of the quoted item in any reputed Govt. Institute/ Organization/ PSU in the northeast region of India.	
02	OEM CREDENTIALS complied?	
03	Rate quoted as per instruction	
04	AMC rate after warranty provided	
4a	First year (after completion of warranty)	
4b	Second year	
4c	Third year	
05	Validity of quoted rate for 90 days agreed	
06	EMD submitted / appropriate certificate enclosed	
07	PBG term agreed	
08	Payment term agreed	
09	Delivery terms agreed	
10	Warranty period agreed	
11	Literature: Printed Literature provided	
12	Dealership / distributorship certificate (in case of dealers/agents) provided	
13	Details of supply to other Institutes of National Importance provided	
14	Equipment breakdown clause agreed	
15	After Sales Service: address of nearest after Sales Service centre in the region provided	
16	Manufacturer certificate provided	
17	Applicable law terms agreed	

Signature with Seal:.....

Vendor: M/s.....

Annexure -I

B. COMPLIANCE CERTIFICATE FOR SPECIFICATIONS

(One for each item, must to be enclosed in the Technical bid)

Item Sl. No.		Item Name:	
Quoted Product:	Make:	Model No:	
Specifications as per Annexure-III		Quoted Item Specifications*	Complied/ Deviation
Parameter	Specification		

Signature with Seal:

Vendor: M/S

*** Vendor must quote the parameter specification of the quoted product in this column and not just copy the specification from the tender call document. Failure to do so will lead to rejection of the tender.**

Annexure -II

PERFORMANCE BANK GUARANTEE

To:
The Director,
National Institute of Technology
Meghalaya Bijni Complex,
Laitumkhrah, Shillong-793 003
Meghalaya

WHEREAS (Name of Supplier)
hereinafter called "the Supplier" has undertaken, in pursuance of Contract No..... dated,..... 20...
to supply. (Description of Goods and Services) hereinafter
called "the order".

AND WHEREAS it has been stipulated by you in the said order that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with the Supplier's performance obligations in accordance with the order.

AND WHEREAS we have agreed to give the Supplier a Guarantee:
THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of
the Supplier, up to a total of (Amount of the Guarantee in
Words and
Figures) and we undertake to pay you, upon your first written demand declaring the Supplier to be in
default under the order and without cavil or argument, any sum or sums within the limit
of
(Amount of Guarantee) as aforesaid, without your needing to prove or to show grounds or
reasons for your demand or the sum specified therein.

This guarantee is valid until theday of.....20.....

Signature and Seal of Guarantors

.....
.....
.....
Date.....20....
Address:.....
.....
.....

All correspondence with reference to this guarantee shall be made at the following
address: The Director,
National Institute of Technology
Meghalaya Bijni Complex,
Laitumkhrah, Shillong-793 003
Meghalaya

ANNEXURE-III
(DETAILED TECHNICAL SPECIFICATIONS)

TECHNICAL SPECIFICATIONS OF THE GYM EQUIPMENTS, RELATED ACCESSORIES AND WEIGHTLIFTING COMPONENTS

PART A: GYM EQUIPMENTS

S.No.	Article Name	Technical Specifications
1.	Commercial Treadmill (02 Numbers)	<ol style="list-style-type: none"> 1. AC driving system with adjustable variable frequency. 2. 4.0 HP AC continuous (8.0 HP Peak) motor. 3. Speed : 1~20 kmph. 4. Precise incline control from 0 ~15%. 5. 21" x 58" running surface. 6. Multi window display showing time, speed, distance, incline, calories & heart rate. 7. Direct speed & incline keys on the console. 8. Various motivating programs for different workout requirements. 9. Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints. 10. Heavy duty reliable orthopedic running belt. 11. Emergency stop button. 12. Sweat proof console design. 13. Two Mobile/Bottle Holders. 14. Maximum User Weight : 150 Kgs. 15. L X W X H : 218 x 91 x 146 CM 16. Warranty : 5years on Motor & 2years on Frame 17. Product should have EN-957-2 or ASTM certification
2.	Jungle Gym (02 Numbers)	<ol style="list-style-type: none"> 1. Frame Materials - Sturdy construction using 2x4" 11-gauge steel tubing for the main frame, with a mix of 2" round and 1 1-gauge tubular steel. 2. Welds: All welded parts meet high standards of structural welding for steel. 3. Padding : Comfortable 1" thick high-density foam with industrial plywood backing, ensuring durability and support. 4. Cables & Belts : High-performance fitness cables made in the USA, rated for strength. Belt-driven units feature reinforced Kevlar® belts. 5. Guide Rods : Solid 3/4" steel rods with a polished hard chrome finish. 6. Finish : Powder coat finish baked at high temperature for durability. 9. **Adjustment Pins**: Solid steel pins with high load and strength ratings. 10. **Bearings**: Stainless steel pivot axles with sealed bearings for smooth movement. 11. **Pulleys**: Fiberglass-reinforced nylon pulleys for belt-driven systems and aluminum pulleys for cable units. 12. Dimensions : LXWXH : 350X228X227 CM 13. WEIGHT STACK : 220 LBS X 4 14. Product should have EN-957-2 or ASTM certification
3.	Group Bike/Spin Bike	<ol style="list-style-type: none"> 1. Adjustable resistance 2. Dipping handle bar

	(02 Numbers)	<ol style="list-style-type: none"> 3. With 20kgs flywheel 4. With adjustable seat 5. Computer functions : time, speed, distance, calories & pulse 6. Maximum User Weight : 140 Kgs 7. Product should have EN-957-2 or ASTM certification
4.	FID Bench/Multiple Adjustable Bench (02 Numbers)	<ol style="list-style-type: none"> 1. Frame Material: Sturdy construction using high-quality steel tubing. 2. Adjustability: Offers multiple positions including flat, incline, and decline for versatile workouts. 3. Padding: Utilizes high-density foam with durable upholstery for comfort and support. 4. Finish: Powder-coated finish for durability and resistance to wear and tear. 5. Safety Features: Non-slip feet for stability during exercises. 6. Options of flat, incline & decline position. 7. Product should have EN-957-2 or ASTM certification
5.	4 Way Olympic Bench (Adjustable) (01 Number)	<ol style="list-style-type: none"> 1. Unique Flat / Incline / Decline / Shoulder position 2. Paint Finish : Electrostatic Powder Coating 3. Seats : Tear resistant leatherite 4. Pipe Size : 100 x 50 x 2.5mm 5. L x W x H : 101 x 81 x 88cm 6. Product should have EN-957-2 or ASTM certification
6.	Chest Press (02 Numbers)	<ol style="list-style-type: none"> 1. Robust - Commercial grade quality 2. Plate Loaded Strength Training 3. Electrostatic Powder Coated 4. Minimum Maintenance 5. Easy Adjustments 6. 122cm (L) x 141.6cm (W) x 164.5cm (H) 7. Maximum Weight Capacity : 250 kgs. / 550 lbs. 8. Product should have EN-957-2 or ASTM certification
7.	Plate Loaded Hack Squat (01 Number)	<ol style="list-style-type: none"> 1. Heavy duty 2.5mm thick steel square tube of size 50mm x 100mm. 2. Electrostatic powder coated and heat cured paint finish for maximum durability. 3. 60mm x 120mm Heavy gauge flat oval steel tubing. 4. Linear bearings for smooth feel and solid movement over the period of time. 5. Fitted with ABS rubber sheet for floor protection 6. Long life two tone tear resistant PVC + Polyurethane upholstery. 7. Dimensions : 224cm (L) x 163cm (W) x 126cm (H) 8. Should have Maximum Weight Capacity : 660 lbs. 9. Product should have EN-957 or ASTM certification for stationary fitness equipment
8.	Super Squat (02 Numbers)	<ol style="list-style-type: none"> 1. Steel Tubing : 50 x 100mm 2. Steel Thickness : 2.5mm 3. Seat : High Density PU 4. LXWXH: 201X163X147 CM 5. Product should have EN-957 or ASTM certification for stationary fitness equipment
9.	Plate Loaded Leg Press (02 Numbers)	<ol style="list-style-type: none"> 1. PLATE LOADED 2. High-quality steel construction for a solid, stable design 3. SIZE: 60 1/2"H X 75"W X 101"D

		<p>4. INCLUDES PLATE STORAGE</p> <p>5. Should have 3 HORNS FOR LIFTING</p> <p>6. LXWXH: 217X161X126 CM</p> <p>7. Product should have EN-957 or ASTM certification for stationary fitness equipment</p>
10.	Commercial air bike (01 Number)	<p>System : Fan drive</p> <p>1 manual + 12 built-in programs</p> <p>Built-in wireless receiver</p> <p>Transport wheels + Aluminium pedals</p> <p>Big LCD screen with backlit</p> <p>Quick buttons for interval program</p> <p>Maximum user weight: 150 kg.</p> <p>L x W x H : 129 x 59 x 122 cms</p>
11.	Commercial air bike (01 Number)	<p>Resistance : Air Resistance</p> <p>Drive Model : Belt Drive</p> <p>Pedals & handle bars : Synchronized Motion</p> <p>Pedals : Double Faced Aluminum Alloy</p> <p>Footholds : Aluminum</p> <p>Crank : Oversize</p> <p>Console Display : 5" LCD Screen</p> <p>Console Readouts : Time, Speed / Average Speed, Calories/Average Calories</p> <p>Distance, RPM / Average RPM, Watt/Average Watt</p> <p>Programs : 3 target programs (Time, Distance, Calories)</p> <p>3 Heart Rate Programs (65%, 75%,85%)</p> <p>4 Interval Programs (3 time interval and 1 distance interval)</p> <p>Heart Rate Monitor : Telemetry (Compatible with Polar heart rate belt H9 or H10 which can be bought separately)</p> <p>Cup Holder : Yes</p> <p>Fan Size : 26 inches</p> <p>Fan Blades : 26 ABS Curved blades</p> <p>Product Dimension : 130 x 71 x 134 CM</p> <p>Maximum User Weight : 150kg</p>
12.	Gym Flooring (02 Units)	<p>Gym Rubber Tile</p> <p>Size : 20x20 (2.77sq.ft.) or 508mmx508mm</p> <p>Thickness : 10mm</p> <p>Material : 100% Recycled Rubber (SBR) Crumb of Size (02-2mm) and Binder Resin.</p> <p>Weight : 2.5Kgs/tile</p> <p>Advantages : Equipment Protection, Extreme durability & wear resistance, Easy to install,</p> <p>Aesthetic and provide a uniform finish, Anti slip, Anti fatigue, Serious Noise Reduction, Green Product as made from recycled rubber crumb.</p>

PART B: WEIGHTLIFTING PARTS

Warranty: atleast 02 years for all items

1. Platform 8ft x 5ft x 35mm [02 Units]

Dimensions - 7.85 ft x 5 ft x 35 mm
Frame Material – CR Steel
Frame dimension – 35mm x 35mm 11-Gauge
Wooden portion - birch plywood
Rubber Material – Crumb Rubber

2. Eagle Bar 20kg – Lifetime warranty against bending [02 Units]

- Black Oxide Finish
- Strength rating at 190,000 PSI
- Weight - 20 kg
- Grip - 28 mm
- Sleeve diameter - 50mm
- Length - 2.20 meters
- 1.2mm Diamond Knurl
- Dual International Weightlifting + Powerlifting Knurl Marks
- 4 HK Needle Bearings
- Moderate Whip
- 7.2ft Length
- 680kg weight capacity

3. Olympic Barbell 20kg [02 Units]

- Strength rating at 200,000 PSI
- Weight - 20 kg
- Grip - 28 mm
- Sleeve diameter - 50mm
- Length - 2.20 meters
- 1.2mm Diamond Knurl
- Single International Weightlifting Knurl Mark
- 10 HK Needle Bearings
- Good Whip Lifetime Warranty
- 7.2ft Length
- 900kg weight capacity

4. Calibrated Powerlifting Plates [Numbers: stated below]

- Calibration - +/- 5 to 45 grams
- Material – Steel
- Center hole – 50.4mm

2.5 KG × 8; 5 KG × 8

10 KG × 8

20 KG × 8

25 KG × 8

5. Curl Bar –[02 Units]

- Black Oxide Finish
- Strength rating at 45,000 PSI
- Weight - 10 kg
- Grip - 28 mm
- Sleeve diameter - 50mm

- Length - 1.20 meters
- 1.2mm Diamond Knurl
- 2 Needle Bearings

6. Straight Bar 4ft [02 Units]

- Black Oxide Finish
- Strength rating at 45,000 PSI
- Weight - 10 kg
- Grip - 28 mm
- Sleeve diameter - 50mm
- Length - 1.20 meters
- 1.2mm Diamond Knurl
- 2 Needle Bearings
- 2 year warranty

7. Powerlifting Combo Rack – [02 Units]

- Frame Size - 3×3” 11-gauge
- J cups – Dual
- Spotter Arms – Built in
- Bench + Rack Combo
- Height Adjustment - 1030mm to 1750mm
- Width of upright - 265mm apart
- Dimensions – 1800mm x 2160mm

7. Round dumbbells- [Numbers: as stated below]

- Weight – 2.5 kg to 45kg
- Handle – straight handle
- Knurl – 1.2 mm diamond knurl
- Tolerance- +-5g to 70g
- Material – synthetic rubber

2.5 KG × 8; 5 KG × 8

7.5 KG × 8

10 KG × 8

15 KG × 4

20 KG × 4

25 KG × 4

30 KG × 4

.....END OF THE NIQ.....